

Dual Roller Clutch-Operated FlexShade®

Manual, clutch-operated window shade with smooth, quiet operation, and independent control

SUBMITTAL

TECHNICAL INFO

DFCL

Please check all appropriate selections and attach room schedule with verified dimensions.

This document is to be used with the [CLUTCH-OPERATED FlexShade® Submittal](#).

On the diagram below, please provide the following information: If Specifying a Coupled FlexShade®, also indicate desired locations for couplers.

	Rear Roller Fabric: _____ Color / Number: _____ Openness Factor: _____
	*Please see the Draper® Shade Fabric Reference Guide for fabric colors and specifications.
	Front Roller Fabric: _____ Color / Number: _____ Openness Factor: _____
	*Please see the Draper® Shade Fabric Reference Guide for fabric colors and specifications.

Please Note: Shade fabrics can be placed anywhere in the headbox. Fabric or screen can be no closer than 13/16" (21mm) to either end of the headbox.



Select Hardware Finish

- Clear Anodized (standard)
- Black
- Ivory
- White
- Bronze
- Custom (Contact Draper®)

Select Dual Roller Hardware

(Hardware Dimensions available on page 2.)

- Dual Endcaps Only
- Dual Endcaps with Fascia



Select Headbox (Optional)

- Surface Headbox (standard or extra large; sizes chosen by Draper)
- Pocket Headbox (standard or extra large; sizes chosen by Draper)
 - Dual Roller Aluminum Pocket Headbox
 - Tile Flange: Front (standard) Back Left Right None
 - Dual Roller Steel Pocket Headbox
 - Tile Flange: Front (standard) Back Left Right None
 - Dual Pocket Headbox Ventilation Holes: Yes No (standard)
 - Pre-Drilled Shade Endcap Mounting Holes: Yes (standard) No
 - Pre-Drilled Pocket Headbox Mounting Holes: Yes No (standard)
- Custom Headbox (contact Draper)



Dual Roller Aluminum Pocket Headbox
Collapsible Flat-Pack Design w/ Optional Tile Flanges




Dual Roller Steel Pocket Headbox
w/ Optional Tile Flanges and Ventilation Holes

Select Light Block Option


- "L", "U", or "H" Channels for Light Gap Reduction
- "L" Angle "U" Channel
- "H" Channel Channel Liners



"L" Channel



"U" Channel



"H" Channel

Child Safety Information



To comply with Child Safety Standard ANSI/WCMA A100.1-2022, this product ships with a tensioning device attached to the bead chain. Incorrect installation partially disables the product. When properly fastened to mounting surface, the pre-installed Tensioned Hold Down device for clutch-operated units prevents creation of a hazardous loop by maintaining tension on the bead chain.



Scan for more information, including short videos on correctly installing the tensioning device, or go to draperinc.com/windowshades/childsafety.



Draper, Inc. | 411 S. Pearl St. Spiceland, IN 47385
draperinc.com | 765.987.7999 | 800.238.7999

© 2024 All Rights Reserved | FORM: DualRoller_FSCL_Sub24

PROJECT: _____

ARCHITECT: _____

CONTRACTOR: _____

SUPPLIER: _____

DATE: _____ REVISED: _____

DUAL ROLLER CLUTCH-OPERATED FLEXSHADE SPECIFICATIONS:

Two rollers mounted to a single set of endcaps, to accept fascia.

COMPONENTS SPECIFIC TO DUAL ROLLER CLUTCH-OPERATED DUAL ROLLER



ENDCAPS: 1028 steel stamping. Complete with adapter roller bracket. Installs to wall or ceiling. Shades mount in vertical configuration (see drawings). Accepts Dual Roller Fascia.

DUAL FASCIA (FOR ENDCAPS): L-shaped cover of extruded aluminum, .060" (1.5mm) wall. Assembly snaps onto endcaps without exposed fasteners. Clear Anodized (standard), black, white, ivory, or bronze powder coat finish available.


DUAL ROLLER POCKET STYLE HEADBOX: Headbox of 18 GA Steel, painted white on bottom and front. With or without aluminum ceiling tile lip. Removable aluminum bottom closure attaches without exposed fasteners. Available in stock lengths for installation ahead of shades and screen.

Downloadable 3-part specifications are available at www.draperinc.com.


Please note: Dimensions of rollers, operators, and hardware at manufacturer's discretion.



Dual Roller Surface Mount Headbox Dimensions



Dual Roller Steel Pocket Headbox Dimensions



Dual Roller Extruded Aluminum Pocket Headbox Dimensions

