

HPD UNIQUE IDENTIFIER: 447186309120

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: Sustainable window shade fabric, made from recycled water bottles. 100% PVC-free Polyester, of which 89% is post consumer recycled content. Each yard of GreenScreen Revive® fabric contains the equivalent of 11 recycled bottles.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**GREENSCREEN REVIVE® [ POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) LT-P1 | RES | | MUL POLYETHYLENE TEREPHTHALATE (PET) LT-P1 | RES | | MUL METHYLPHOSPHONIC ACID, COMPOUND WITH AMIDINOUREA (1:1) (FLOVAN CGN) NoGS BENZENESULFONAMIDE, 3-NITRO-N-PHENYL-4-(PHENYLAMINO)-(COLORANT) LT-UNK | 1,2,3-BENZOTRIAZIN-4(1H)-ONE NoGS ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

One or more of the substances inventoried were not disclosed by name or identifier due to proprietary compositions from suppliers. Only SDS level disclosure was available.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified

Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

Multi-attribute: Cradle to Cradle Certified - Bronze (V3.1)

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-10-11

PUBLISHED DATE: 2023-10-11

EXPIRY DATE: 2026-10-11

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### GREENSCREEN REVIVE®

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No evidence of residuals and impurities was identified by any supplier or found in the manufacturing process. Therefore residuals and impurities were not considered.

OTHER PRODUCT NOTES: Mernet offers a range colors using the material covered in this HPD which leads to some variation in composition. No alternate suppliers or materials are applicable for this product.

### POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-11 7:02:28

%: 78.6900 GreenScreen: LT-P1 RC: PostC NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
	EC - CEPA DSL	Persistent
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: REPREEVE® SD Round Textured Polyester. REPREEVE® Hybrid Polyester Yarn is made of 100% recycled polyester content with at least 35% post-consumer recycled content and at least 65% pre-consumer recycled content. REPREEVE® Conforms to the SCS Recycled Content Standard V6-0.

### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-11 7:02:28

%: 9.7300 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Textile component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
	EC - CEPA DSL	Persistent
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Semi-Dull RD Textured Polyester/ Base Fabric

**METHYLPHOSPHONIC ACID, COMPOUND WITH AMIDINOUREA (1:1) (FLOVAN CGN)**

ID: 84402-58-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 7:02:28**

%: **7.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Phosphonate-based flame retardant

**BENZENESULFONAMIDE, 3-NITRO-N-PHENYL-4-(PHENYLAMINO)- (COLORANT)**

ID: 5124-25-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 7:02:28**

%: **3.0000 - 4.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dye**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
	EC - CEPA DSL	Persistent

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Varied Disperse Colorants. Mermet offers a range colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition. CAS # 5124-25-4 is a representative substance for this group.

**1,2,3-BENZOTRIAZIN-4(1H)-ONE**

ID: 90-16-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 7:02:29**

%: **0.8000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

---

None found

No listings found on Additional Hazard Lists

---

SUBSTANCE NOTES: UV Inhibitor Benzotriazine Derivative. 154835-62-4 is an alternative CAS # for this substance.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	UL/GreenGuard Gold Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: <a href="https://spot.ulprospector.com/en/na/BuiltEnvironment/Detail/32302/656418/GreenScreen-Revive?st=1&amp;sl=58193909&amp;crit=a2V5d29yZDpibcmV2aXZlXQ%3d%3d&amp;ss=2&amp;k=revive&amp;t=revive">https://spot.ulprospector.com/en/na/BuiltEnvironment/Detail/32302/656418/GreenScreen-Revive? st=1&amp;sl=58193909&amp;crit=a2V5d29yZDpibcmV2aXZlXQ%3d%3d&amp;ss=2&amp;k=revive&amp;t=revive</a>	ISSUE DATE: 2008-06-03 EXPIRY DATE:	CERTIFIER OR LAB: GreenGuard Environmental Institute
CERTIFICATION AND COMPLIANCE NOTES:		
OTHER	ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2015-09-16 EXPIRY DATE:	CERTIFIER OR LAB: St. Louis Testing Laboratories
CERTIFICATION AND COMPLIANCE NOTES:		
MULTI-ATTRIBUTE	Cradle to Cradle Certified - Bronze (V3.1)	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: <a href="https://c2ccertified.org/certified-products/greenscreen-evolve-greenscreen-revive">https://c2ccertified.org/certified- products/greenscreen-evolve-greenscreen-revive</a>	ISSUE DATE: 2022-07-26 EXPIRY DATE: 2024-01-29	CERTIFIER OR LAB: McDonough Braungart Design Chemistry (MBDC)
CERTIFICATION AND COMPLIANCE NOTES: GreenScreen Revive® is a translucent polyester fabric offered in 1% and 5% openness that is designed to be recyclable. It is offered at 118" width and is available in nine colors. Revive contains recycled content (pre- and post-consumer recycled content and industrial waste).		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

The PET base fabric in GreenScreen Revive® contains 84% REPREEVE® fibers made from 100% recycled post-industrial fiber and consumer plastic waste. REPREEVE® Hybrid Polyester Yarn is made of 100% recycled polyester content with at least 35% post-consumer recycled content and at least 65% pre-consumer recycled content. REPREEVE® Conforms to the SCS Recycled Content Standard V6-0. Health hazards and screenings completed by the HPDC Online Builder tool.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Mermet Corporation  
**ADDRESS:** 5970 N Main Street  
 Cowpens, South Carolina 29330  
**COUNTRY:** United States

**WEBSITE:** [www.MermetUSA.com](http://www.MermetUSA.com)  
**CONTACT NAME:** Nathan Wintermute  
**TITLE:** Product Manager  
**PHONE:** 8644635439  
**EMAIL:** [nathan.wintermute@MermetUSA.com](mailto:nathan.wintermute@MermetUSA.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

