
# Floor Sleeves





# Specifications—501006

3½" I.D. Floor Sleeve (For use with Elite, Power, Combination, Steel Volleyball Systems and Power Tennis System)

\_\_\_\_\_ Floor Sleeves, #501006 by Draper, Inc. Floor sleeve shall be constructed of steel mechanical tubing with an inside diameter of 3½", welded to a 4" x 4" bottom plate. Sleeve shall be 8½" deep with overall length of 8¾".

## Specifications—501008


23/8" I.D. Floor Sleeve (For use with Badminton Game System and Combination Game Standard)


\_\_\_\_\_ Floor Sleeves, #501008 by Draper, Inc. Floor sleeve shall be constructed of steel mechanical tubing with an inside diameter of  $2^3/_8$ ", welded to a 3" x 3" bottom plate. Sleeve shall be  $8^1/_2$ " deep with overall length of  $8^3/_4$ ".

# Specifications—501009

3" I.D. Floor Sleeve

Floor Sleeves, #501009 by Draper, Inc.. Floor sleeve shall be constructed of steel mechanical tubing with an inside diameter of 3", welded to a 4" x 4" bottom plate. Sleeve shall be 8½" deep with overall length of 8¾".





#### Specifications—501010

4" I.D. Floor Sleeve

———— Floor Sleeves, #501010 by Draper, Inc.. Floor sleeve shall be constructed of steel mechanical tubing with an inside diameter of 4", welded to a 6" x 6" bottom plate. Sleeve shall be 12½" deep with overall length of 12¾".

#### **LEED® Submittal Information**

Credit	Measure	
MRc4 – Recycled Content	Post Consumer Average 25%	Post Industrial 0%
MRc5 – Regional Materials	Product Manufactured in Spiceland, IN 47385	

### Please Mark Appropriate Selections

☐ 501006—3½" I.D.  Quantity:	
☐ 501008—23/8" I.D.  Quantity:	
☐ 501009—3" I.D.  Quantity:	
□ 501010—4" I.D.  Quantity:	

|--|

411 S. Pearl St., Spiceland, IN 47385 USA ■ 765-987-7999 www.draperinc.com ■ fax 765-987-7142

Copyright © 2016 Draper Inc. Form VB\_FloorSleeves\_Sub16

Printed in U.S.A.

PROJECT:	
ARCHITECT:	
CONTRACTOR:	
SUPPLIER:	
DATE:	REVISED: