

# CINEFLEX CH1200V

## REAR PROJECTION TENSIONED SURFACE

### CONTROLLED VIEWING CONE / HIGH CONTRAST / ON-AXIS GAIN OF 1.2

Neutral grey rear projection diffusing surface. Provides high resolution and excellent contrast, even in lighted rooms. Recommended for use with low to medium output projectors. Moderate viewing cone. This surface was previously named "Cineflex."

#### SURFACE CHARACTERISTICS



- Maximum Height Without Seams: 144"
- Weight (g/sm): 344
- Thickness (mm): 0.28
- Cleaning: Mild soap and water
- Composition: Flexible PVC

#### TRANSMISSIVE PERFORMANCE\*

- Gain Chart—See below
  - 0° Gain: 1.2
  - Half Gain Angle: 30°
- \*Individual test results may vary. Results based on a representative sample in Draper inventory.*

#### The CineFlex Family of Surfaces

The CineFlex family features premium rear projection viewing surfaces with the flexibility of choice of gain and color to meet a wide range of rear projection needs. CineFlex surfaces are available on a wide range of fixed frame screens, portable, and tab-tensioned projection screen models. All surfaces are 4K ready.



GAIN CHART: 0° GAIN: 1.2, VIEWING CONE: 60° CINEFLEX CH1200V

# CINEFLEX CH1200V

REAR PROJECTION TENSIONED SURFACE