# Bottom-Up FlexShade® NEXD, Small and Large Hardware Premium manually-operated bottom-up shade



\_\_ REVISED:

DATE: \_\_\_\_

FLEXBOTTOMUP NEXD																
Please check all appropriate selections and attach room sch	edul	e wit	h ve	erifi	ed c	dime	ensi	ons.	,							
Fabric Series:	Сс	mpc	ner	nts												
Color Name / Number:										16						
Openness Factor:							<	TOP	BH	<i>31</i> 7		1				
Please see <u>Shade Fabric Reference Guide</u> on the Draper® website for fabric colors and specifications.					<u>/</u>					FA	scl	1/				
<b>Select Clutch Location:</b> (As seen from INSIDE the room facing the window. Also indicate on room schedule.)		/	/			ماراره		4		ال د	A		. 4	<u>.</u>		
<ul><li>☐ Right (standard)</li><li>☐ Left</li></ul>				ncke	THEA	DRA		10F	PFA	Sur				EXO A	ovet Ddcap EXD	
Select Clutch Color:			١٢	ייטן			$\triangleleft$		انتان	UP ROLLE	R		- 1	udcab		
<ul><li>□ White (standard)</li><li>□ Black</li></ul>		<					NEXD Idle		TAKE	2					Endca	ap
Select Bead Chain Type:		Ī			E	MEXD	0		HEM	BAR					1	
□ Steel Chain □ Stainless Steel (standard) □ Black Steel □ White Steel □ Polyester Chain □ Black □ Bronze □ White □ Ivory □ Grey				Endo Co	Spear I End	End Cap			FABRI	IC ROL	U FAS	;CIA			nd ap	
Select Cord Tension Device:				-1	let [				BO		SHEL.	sanally sen		1		
<ul> <li>□ 'P'-Clip Cord Tension Device (standard)</li> <li>□ Spring-Loaded Chain Tension Device (Optional, but required for ANSI/WCMA A100.1 Compliance)</li> </ul>						7			1 R		» ~11	rom H	HEADI	80X		
Select Hardware	۸, ،	ailabl	~ C:	700							BUIT					
Top Roller	_															
☐ Endcaps Only	<u>w</u>	IDTH:	2'	31	4'	5'	6'	7'	81	9'	10'	11'	12'	13'	14'	15'
☐ Endcaps and Fascia		2'														
☐ Headbox: ☐ Surface Style ☐ Pocket Style  Bottom Roller		3'														
☐ Endcaps Only		4'														
☐ Fascia and Endcaps		5'														
□ Pocket Headbox		6'														
☐ Small ☐ Large	_	7'														-
Select Hardware Finish (Does not apply to Type "D" Headbox)	듄	8'														
☐ Clear Anodized (standard) ☐ Ivory ☐ Black	里	9'														
☐ Bronze ☐ White ☐ Custom (Contact Draper)		10'														
		11'														
		12'														
		13'														_
Child Safety Information		14'														
ANSI/WCMA A100.1-2018 standard (developed by the Window Coverings		15'														
Manufacturer's Association and the Consumer Product Safety Commission) was established on December 15, 2018, to eliminate strangulation hazards			* Size	es requ	uiring	large	endca	ıps/bra	ckets	will v	ary ac	cordi	ng to f	fabric.		
for small children from hanging cords and chain loops.		D D	efault	sma	ıll											
When dealers specify that custom shades comply with ANSI/WCMA A100.1-2018, Draper® provides a pre-installed Spring-Loaded Chain Tension Device (shown at right) for clutch-operated units. When properly installed, tension device prevents creation of a hazardous loop by maintaining tension on bead chain. If not installed	:	_			•			nd 1 % nd 3"								l.
properly, shade is partially inoperable.																
For more information, please see ANSI/WCMA A100.1-2018 compliance page: www.draperinc.com/windowshades/wcmacompliance.aspx		PF	OJE	CT:_												
- <b>↑</b>																
ATIM DRAPER®																
Draper, Inc.   411 S. Pearl St. Spiceland, IN 47385					_											
Stapes, mer printed optionaria, in a mood		20	<b>IPPL</b>	ICK:												

Draper, Inc. | 411 S. Pearl St. Spiceland, IN 47385 draperinc.com | 765.987.7999 | 800.238.7999 © 2023 All Rights Reserved | FORM: Bottom-Up\_FS\_NEXD\_Sub23

# Bottom-Up FlexShade® NEXD, Small and Large Hardware

## Specifications

#### **EQUIPMENT**

NEXD CLUTCH OPERATOR: Delrin® POM thermoplastic with swedged .354" (9 mm) primary steel post with rotational bearing to ensure smooth and quiet operation. Overrunning design. Positive mechanical engagement of drive mechanism to tube. White (standard) or black color options. Stainless steel bead chain (standard). Ivory, grey, black, white, and brown polyester chain available.

ROLLERS: Extruded aluminum 2", 2.36", or 3.12" (51, 60, or 79mm) diameter roller tube as appropriate for shade.

#### COMPONENTS

ENDCAPS: 1018 steel stamping, two sizes available: SMALL: 3%" x 3%" (86 x 98 mm), LARGE: 4%" x 4%" (1/17 x 1/17 mm) Installs to face, ceiling, or jamb. Field convertible between wall left, wall right, or ceiling mount. Idler endcaps to have leveling adjustment.

**ENDCAP COVERS:** Plastic covers push into endcaps for positive engagement. Available in ivory, bronze, black, silver, or white to match fascia.

FABRIC ATTACHMENT: LSE adhesive fabric attachment.

FABRIC RETAINER: 1/4" (6 mm) OD .17" (4 mm) ID linear low-density polyethylene tubing, inside heat seamed hem.

**HEM BAR:** Machine extruded aluminum, finished to match fascia. Clear anodized (standard), black, white, ivory, or bronze powder coat finish available. Includes built-in pulley assemblies for lifting cables.

LIFTING CABLE: 0.046" (1 mm) OD 7x19 strand low-stretch, high fatigue nylon-coated cable.

FASCIA: L-shaped cover of 6063-T5 extruded aluminum. Fascia snaps into place using no exposed fasteners. Clear anodized finish (standard) or available in ivory, bronze, black, or white powder coat.

**SURFACE HEADBOX:** Consists of fascia, "L" shaped back/top cover. Endcaps slide into extrusion without exposed fasteners.

POCKET HEADBOX: For pocket installation, includes a "U" shaped back/top/front cover. Removable closure panel available for top installation (Small and Large sizes), and for bottom installation (Large size only).

Small Size: 3\%" x 3\% (87mm x 98mm)

Small Size: 3 1/4" x 3 1/46 (87mm x 98mm) Large Size: 4 1/46 x 4 1/46 (119mm x 119mm)


#### SOME EXPOSED FASTENERS REQUIRED.

PATENT INFORMATION: Available at www.draperinc.com/legal/patents.

DOWNLOADABLE 3-PART SPECIFICATIONS: <a href="www.draperinc.com/documents.aspx">www.draperinc.com/documents.aspx</a>. Entire unit certified by Underwriters' Laboratories, Inc. for the U.S. and Canada.

Please note: Dimensions of rollers, operators, and hardware at manufacturer's discretion.

### **Dimensions**



<sup>\*</sup>These dimensions are different for each shade and are provided by Draper® with your order. Dimension "A" is a vertical cable spacing.

Dimension "B" is the distance from the vertical cable spacing to the vertical edge of the shade.

Dimension "C" is the distance from the Idler End of the tube to the center of the cable attachment stud.

Dimension "D" is the distance from the Operator End of the tube the center of the cable attachment stud.

<sup>\*\*</sup>These dimensions apply to Endcap Covers. Endcap or Fascia dimensions fall within this dimension.

<sup>\*\*\*</sup>Shades with Headbox are 1/16" larger.