

Client: IND028

9000 Commerce Parkway Suite B Mt. Laurel, New Jersey 08054 Telephone: 856-231-9449 Email: customerservice@iatl.com

#### CERTIFICATE OF ANALYSIS

Client: Indiana Coated Fabrics Report Date: 7/6/2019

102 Enterprise Drive Report No.: 593594 - Lead in

Materials

Warsaw IN 46580 Project: 98" Apago'n Style III

Project No.:

## LEAD MATERIALS SAMPLE ANALYSIS SUMMARY

Lab No.:6821738Description: Lead MaterialsResult (ppm):<30</th>Client No.:1Location:Comments:

Please refer to the Appendix of this report for further information regarding your analysis.

Date Received:

6/28/2019

Date Analyzed:

Dated: 7/8/2019 3:54:43

07/06/2019

Signature: Analyst:

Chad Shaffer

Approved By:

Frank E. Ehrenfeld, III Laboratory Director

Page 1 of 3



9000 Commerce Parkway Suite B Mt. Laurel, New Jersey 08054 Telephone: 856-231-9449

Email: customerservice@iatl.com

#### CERTIFICATE OF ANALYSIS

Client: Indiana Coated Fabrics Report Date: 7/6/2019

102 Enterprise Drive Report No.: 593594 - Lead in Materials Warsaw IN 46580 Project: 98" Apago'n Style III

Client: IND028 Project No.:

# Appendix to Analytical Report:

**Customer Contact:** David Brettell

Analysis: ASTM D3335-85a

This appendix seeks to promote greater understanding of any observations, exceptions, special instructions, or circumstances that the laboratory needs to communicate to the client concerning the above samples. The information below is used to help promote your ability to make the most informed decisions for you and your customers. Please note the following points of contact for any questions you may have.

iATL Customer Service: customerservice@iatl.com iATL Office Manager:wchampion@iatl.com iATL Account Representative: House Account

**Project Summary:** 

Sample Login Notes: See Batch Sheet Attached

Sample Matrix: Paint

**Exceptions Noted:**See Following Pages

## General Terms, Warrants, Limits, Qualifiers:

General information about iATL capabilities and client/laboratory relationships and responsibilities are spelled out in iATL policies that are listed at www.iATL.com and in our Quality Assurance Manual per ISO 17025 standard requirements. The information therein is a representation of iATL definitions and policies for turnaround times, sample submittal, collection media, blank definitions, quantification issues and limit of detection, analytical methods and procedures, sub-contracting policies, results reporting options, fees, terms, and discounts, confidentiality, sample archival and disposal, and data interpretation.

iATL warrants the test results to be of a precision normal for the type and methodology employed for each sample submitted. iATL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. iATL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by our Standard Terms and Conditions. Prices, methods and detection limits may be changed without notification. Please contact your Customer Service Representative for the most current information.

This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA LAP LLC, or any agency of local, state or province governments nor of any agency of the U.S. government.

This report shall not be reproduced except in full, without written approval of the laboratory.

## **Information Pertinent to this Report:**

Analysis by Method: ASTM D3335-85a by AAS

Certification:

National Lead Laboratory Program (NLLAP): AIHA-LAP, LLC No. 100188

NYSDOH-ELAP No. 11021

Regulatory limit is 0.5% lead by weight (EPA/HUD guidelines). Recommend multiple sampling for all samples less than regulatory limit for confirmation.

All results are based on the samples as received at the lab. iATL assumes that appropriate sampling methods have been used and that the data upon which these results are based have been accurately supplied by the client.

Method Detection Limit (MDL) per EPA Method 40CFR Part 136 Apendix B. Reporting Limit (RL) based upon Lowest Standard

Dated: 7/8/2019 3:54:43 Page 2 of 3



9000 Commerce Parkway Suite B Mt. Laurel, New Jersey 08054 Telephone: 856-231-9449 Email: customerservice@iatl.com

#### **CERTIFICATE OF ANALYSIS**

Client: Indiana Coated Fabrics Report Date: 7/6/2019

102 Enterprise DriveReport No.:593594 - Lead in MaterialsWarsawIN46580Project:98" Apago'n Style III

Project No.:

Client: IND028

Determined (LSD) in accordance with AIHA-ELLAP policies. LSD=0.2 ppm MDL=0.005% by weight. RL= 0.010% by weight (based upon 100 mg sampled).

- \* Insufficient sample provided to perform QC reanalysis (<200 mg)
- \*\* Not enough sample provided to analyze (<50 mg)
- \*\*\* Matrix / substrate interference possible

## **Disclaimers / Qualifiers:**

There may be some samples in this project that have a "NOTE:" associated with a sample result. We use added disclaimers or qualifiers to inform the client about something that requires further explanation. Here is a complete list with highlighted disclaimers pertinent to this project. For a full explanation of these and other disclaimers, please inquire at **customerservice@iatl.com**.

\* "Multiple samples received in container. Composite analysis requested per EPA/HUD guidelines not covered by NLLAP/AIHA accreditation.

Dated: 7/8/2019 3:54:44 Page 3 of 3