

HPD UNIQUE IDENTIFIER: 143070735360

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: Mermet PVC Coated Fiberglass textiles. This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|--|--|--|---|
| <p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p> | <p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p> | <p>Residuals/Impurities Evaluation</p> <p><input type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input checked="" type="radio"/> Not Completed</p> <p>Explanation(s) provided :</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> | <p><i>For all contents above the threshold, the manufacturer has:</i></p> <p>Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p>Identified <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p> |
|--|--|--|---|

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

PVC COATED FIBERGLASS FABRIC [POLYVINYL CHLORIDE (PVC) LT-P1 | MAM FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK | 1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR LT-UNK | MUL BARIUM ZINC COMPLEX NoGS BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS) BM-3dg | MUL ANTIMONY TRIOXIDE BM-1 | MUL | CAN | SKI | EYE | MAM | AQU 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END | AQU POLYDIMETHYLSILOXANES LT-P1 | PBT]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

One or more of the substances inventoried were not disclosed by name or identifier due to proprietary compositions from suppliers. Only SDS level disclosure was available.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified

Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-10-11

PUBLISHED DATE: 2023-10-11

EXPIRY DATE: 2026-10-11

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PVC COATED FIBERGLASS FABRIC

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No evidence of residuals and impurities was identified by any supplier or found in our manufacturing process. Therefore residuals and impurities were not considered.

OTHER PRODUCT NOTES: This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in composition. No alternate supplier or materials are applicable for this product.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-10-11 5:50:43

#: 36.0000 - 40.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions |
| RESTRICTED LIST | International Living Future Institute (ILFI) | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023 Red List substances to avoid in Living Building Challenge V4.0 projects |

SUBSTANCE NOTES: Polymer Coating. This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

The PVC is fused in the final PVC coated fiberglass fabric. Any asthmagen health risks that are associated with the raw powder form of the substance are not applicable to this product and are based on contact with the powder form during manufacturing.

FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT

ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-10-11 5:50:44**

%: **36.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Textile component**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|--|--|
| | EC - CEPA DSL | Persistent |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| EXEMPT | European Union / European Commission (EU EC) | EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety |

SUBSTANCE NOTES: Continuous filament fibrous glass

1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR

ID: 68515-45-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-10-11 5:50:44**

%: **10.0000 - 20.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|--|
| MUL | German FEA - Substances Hazardous to Waters | Class 1 - Low Hazard to Waters |
| MUL | EC - CEPA DSL | Inherently Toxic in the Environment (iTE) |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Bisphenols and Phthalates |

SUBSTANCE NOTES: This substance is solely composed of Dinonyl Phthalate, also known as L9P. This substance does not contain Diisononyl Phthalate, commonly referred to as DINP. Dinonyl Phthalate (L9P) is not identified as hazardous on any regulatory list (e.g. Prop 65).

Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

BARIUM ZINC COMPLEX

ID: **Not registered**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-10-11 5:50:44**

%: **1.0000 - 3.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|----------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Heat Stabilizer.

Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

This substances was not disclosed due to proprietary compositions from suppliers. Only SDS level disclosure was available.

BIS(2-ETHYLHEXYL) TEREPHTHALATE (VARIED PIGMENTS)

ID: 6422-86-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 5:50:44**

%: **0.5000 - 3.0000** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---------------------------------------|--|
| MUL | EC - CEPA DSL | Inherently Toxic in the Environment (iTE) |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Some Solvents |

SUBSTANCE NOTES: This substance covers the range of all pigments used every PVC Coated Fiberglass Fabric product. All pigments are disersed in DOTP (CAS # 6422-86-2). CAS # 1314-98-3 is an example of a white pigment. All pigments are non-hazardous and are compliant with REACH, Red List, and Prop 65 programs.

ANTIMONY TRIOXIDE

ID: 1309-64-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 5:50:44**

%: **0.6000 - 1.1000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---|---|
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| CAN | MAK | Carcinogen Group 2 - Considered to be carcinogenic for man |
| CAN | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen |
| CAN | IARC | Group 2a - Agent is probably Carcinogenic to humans |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1B] |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| CAN | GHS - New Zealand | Carcinogenicity category 2 |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |
| CAN | EU - Annex VI CMRs | Carcinogen Category 2 - Suspected human Carcinogen |
| MAM | GHS - Japan | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |
| SKI | GHS - Korea | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1] |
| AQU | GHS - Korea | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2] |
| CAN | GHS - Australia | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| CAN | GHS - Korea | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|---|--|
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Certain Metals |

SUBSTANCE NOTES: The Antimony Trioxide flame retardant is bonded with the coating. All associated health risks are based on contact with the powder form during manufacture of the raw ingredient and do not indicate health risks associated with contact of the final product.

2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 5:50:45**

%: **0.3000 - 0.9000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---------------------------------------|--|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| AQU | GHS - Japan | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|---------------------------------------|--|
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List Some Solvents |

SUBSTANCE NOTES: In the final product, this plasticizer is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

POLYDIMETHYLSILOXANES

ID: 63148-62-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-10-11 5:50:45**

%: **0.3000 - 0.8000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|----------------------|--|
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: In the final product, this lubricant is bonded with the coating. Associated health risks are derived from contact and handling of the raw ingredient.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | UL/GreenGuard Gold Certified | |
|--|------------------------------|-------------------------|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2008-01-10 | CERTIFIER OR LAB: |
| APPLICABLE FACILITIES: All Facilities | EXPIRY DATE: | GreenGuard |
| CERTIFICATE URL: https://spot.ul.com/main-app/products/catalog/?keywords=mermet+usa&filter=Manufacturer%2520%252F%2520Brands:Mermet%2520USA | | Environmental Institute |
| CERTIFICATION AND COMPLIANCE NOTES: | | |

| OTHER | ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive | |
|---------------------------------------|---|-----------------------------|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2015-12-01 | CERTIFIER OR LAB: St. Louis |
| APPLICABLE FACILITIES: All Facilities | EXPIRY DATE: | Testing Laboratories |
| CERTIFICATE URL: | | |
| CERTIFICATION AND COMPLIANCE NOTES: | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Health hazards and screenings completed by the HPDC Online Builder tool.

This HPD covers all styles of Mermet PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of weave patterns, openness factors, and colors using the material covered in this HPD.

MANUFACTURER INFORMATION

MANUFACTURER: Mermet Corporation
ADDRESS: 5970 N Main Street
 Cowpens, South Carolina 29330
COUNTRY: United States

WEBSITE: www.MermetUSA.com
CONTACT NAME: Nathan Wintermute
TITLE: Product Manager
PHONE: 8644635439
EMAIL: nathan.wintermute@MermetUSA.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

