



PHIFER
INCORPORATED

Re: SheerWeave Infinity 2, 5%

PHIFER INCORPORATED (Tuscaloosa, Alabama) certifies that the material referenced above complies with the standards listed below:

1. NFPA 701, Standard Methods of Fire Test for Propagation of Textiles and Films 2019 Edition, (Test I, Small Scale).
2. National Fire Protection Association, NFPA No. 101, "Life Safety Code", Class "A" rating. (Tested in accordance to ASTM E84-10b, Surface Burning Characteristics of Building Materials.)
FLAME SPREAD INDEX = 5 SMOKE DEVELOPED VALUE = 350
3. International Building Code (IBC), Section 803.1.1.1, (Tested in accordance to ASTM E84), Class "A" rating.
4. CAN/ULC-S109-14 Standard for Flame Tests of Flame-Resistant Fabrics & Films, Small Flame Test.
5. CAN/ULC-S109-14 Standard for Flame Tests of flame-Resistant Fabrics & Films, Large Flame Test, Folded Specimens.
6. CAN/CGSB2-4.162-M80, as specified by Canadian General Standards Board (CGSB), National Standard of Canada, CAN2-4.162-M80 "Hospital Textiles Flammability Performance Requirements.
7. BS EN ISO 15025:2016 - Protection against heat and flame - Method of test for limited flame spread as cited by BS 5867-2- British Standard Specification for Fabrics for curtains, drapes and window blinds; Part 2: Type "B" Performance Requirements.

If you have any questions or need further information, please contact me at 1-800-633-5955 Ext. 3075.

Sincerely,

PHIFER INCORPORATED

Keith Euerle

Director of Specialty Textiles Testing and Analysis

*Testing was performed by a 3rd party certified laboratory on samples representing products listed.

Expires 4/02/2026